## CENTRAL FAX CENTER

MAR 23 2011

GOODWIN PROCTER

Goodwin Procter LLP Counselors at Law The New York Times Bldg. 620 Eighth Ave. New York, NY 10018-1405 T: 212.813.8800

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence, and attachments, if any, are being facsimile transmitted to the USPTO at fax

· (571) 273-8300] Attn: Examiner John E. Uselding, Art Unit 1796, on the dated indicated below.

Sherise Roovan

## N 5

If problems with transmittal, call fax department at 617.570.1498

Date	Total pages	Attorney number	Client/matter number
March 23, 2011	12 (including cover)	09973	
To	Company	Fax number	Telephone
Attn: John E. Uselding	U.S. Patent and Trademark Office	571.273.8300	•
Art Unit 1796			· · · · · · · · · · · · · · · · · · ·
From		Fax number	Telephone
Edward Timmer		212.355.3333	212,459,7247

## Message:

Appl. No.

10/555,857

Applicant

Michel Gillard et al.

Filed

September 25, 2006

Title

Silyl Esters, Their Use in Binder Systems and Paint Compositions and a

Process for Production Thereof

TC/A.U.

1796

Our Ref. No.

SGK-028

Submitted here with are the following items for filing in the above-identified case:

- 1. This Fax Transmittal (1 page)
- Response to Final Office Action Dated December 10, 2010 (10 pages) 2.
- 3. Petition for Extension of Time Under 37 CFR 1.1.36(a) (1 page)

The information contained in this communication is intended only for the personal and confidential use of the designated recipients addressed. This message may be an attorney-client communication from an attorney at the law firm of Goodwin Procter up and as such is privileged and confidential. If the reader of this message is not the Intended recipient, you are hereby notified that you have received this communication in error. and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you have received this communication in error, please notify us at the telephone number shown above, and return the original message to us by mail. Thank you.